

Exam Questions FC0-U61

CompTIA IT Fundamentals+ Certification Exam

https://www.2passeasy.com/dumps/FC0-U61/





A programmer needs an element that will automatically store customer orders consecutively by order number every time a new order is placed. Which of the following elements should be used?

A. Vector

B. Sequence

C. Array

D. Constant

Answer: B

Explanation:

A sequence is an element that will automatically store customer orders consecutively by order number every time a new order is placed. A sequence is a database object that generates sequential numbers according to a specified rule. A sequence can be used to create unique identifiers for records in a table, such as order numbers or customer IDs. A vector is an element that can store multiple values of the same data type in an ordered sequence, but it does not automatically generate sequential numbers. A vector is a data structure that can be used in programming languages such as C++ or Java. An array is an element that can store multiple values of the same data type in an indexed sequence, but it does not automatically generate sequential numbers. An array is a data structure that can be used in programming languages such as C or Python. A constant is an element that can store a single value of any data type that does not change during the execution of a program, but it does not automatically generate sequential numbers. A constant is a variable that can be used in programming languages such as C# or JavaScript. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals, Chapter 8: Software Development Concepts

NEW QUESTION 2

For which of the following is a relational database management system MOST commonly used?

A. Building flowcharts

- B. Storing information
- C. Generating reports
- D. Creating diagrams

Answer: B

Explanation:

A relational database management system (RDBMS) is most commonly used for storing information in a structured and organized way. A RDBMS stores data in tables, which consist of rows and columns. Each row represents a record or an entity, and each column represents an attribute or a property of the entity. A RDBMS allows users to create, update, delete, and query data using a standard language called SQL (Structured Query Language). A RDBMS also enforces rules and constraints to ensure data integrity and consistency3465.

References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database

Fundamentals2; What is RDBMS (Relational Database Management System) - Javatpoint5; What is a Relational Database Management System? | Microsoft Azure

NEW QUESTION 3

Which of the following are the primary functions of an operating system? (Choose two.)

- A. Provide structure for file and data management.
- B. Provide protection against malware and viruses.
- C. Provide peer-to-peer networking capability.
- D. Provide user data encryption.
- E. Provide virtual desktop capability.
- F. Provide system resources.

Answer: AF

Explanation:

Providing structure for file and data management and providing system resources are the primary functions of an operating system. An operating system is a type of software that manages the hardware and software resources of a computer or device. Providing structure for file and data management is a function of an operating system that allows users to organize, store, access, and modify files and data on a storage device.

Providing system resources is a function of an operating system that allows users to run multiple applications or processes at the same time by allocating memory, CPU, disk space, network bandwidth, etc. Providing protection against malware and viruses, providing peer-to-peer networking capability, providing user data encryption, and providing virtual desktop capability are not primary functions of an operating system. These are functions that can be performed by other types of software or hardware devices. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 127.

NEW QUESTION 4

To establish a theory of probable cause, one technician investigates network issues in the server room while another technician troubleshoots the user's workstation. Which of the following troubleshooting methodologies is being performed?

A. QUESTION NO: the obvious.

- B. Divide and conquer.
- C. Duplicate the problem
- D. Research the knowledge base.

Answer: B

Explanation:

Divide and conquer is a troubleshooting methodology that involves breaking down a complex problem into smaller and more manageable parts, and then testing each part to isolate the cause of the problem. QUESTION NO: the obvious, duplicate the problem, and research the knowledge base are not troubleshooting methodologies that involve dividing the problem into smaller parts. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition,



Chapter 9: Troubleshooting Methodology, page 332.

NEW QUESTION 5

Consider the following statements:

```
if userin = "commander"
then clearance = "topsecret"
else if userin = "analyst"
    then clearance = "restricted"
    else
    clearance = "normal"
```

Given the input (userin) of "analyst", to which of the following would the clearance variable be set?

- A. topsecret
- B. normal
- C. analyst
- D. restricted

Answer: D

Explanation:

Float is a data type that can store decimal or fractional numbers, such as 3.14, 0.5, or -2.75. Float would be the best data type to use for storing monetary values because monetary values often involve decimals, such as \$1.99, 0.25, or -5.50. Integer is a data type that can only store whole numbers, such as 1, 0, or -2. Integer would not be suitable for storing monetary values that have decimals. The other options are not data types that can store numerical values. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 146.

NEW QUESTION 6

An administrator grants permission for a user to access data in a database. Which of the following actions was performed?

- A. Data correlation
- B. Data manipulation
- C. Data gathering
- D. Data definition

Answer: D

Explanation:

Data definition is the process of creating, modifying, or deleting the structure and objects of a database, such as tables, fields, indexes, and views. Data definition is performed using data definition language (DDL), which is a subset of SQL commands. An administrator can use DDL to grant or revoke permissions for a user to access data in a database. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 144.

NEW QUESTION 7

Which of the following relational database constructs is used to ensure valid values are entered for a column?

- A. Schema
- B. Permissions
- C. Constraint
- D. Column

Answer: C

Explanation:

A constraint is a rule or a restriction that is applied to a column or a table in a relational database to ensure that only valid values are entered. Constraints help to maintain the integrity, accuracy, and consistency of the data. For example, a constraint can be used to specify that a column must not contain null values, or that a column must contain unique values, or that a column must match a value in another table12. References: = CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals3; Constraints in Relational Database Model - Online Tutorials Library

NEW QUESTION 8

A systems administrator is setting up a new server using RAID technology. If one hard drive in the array fails, the data is stored on another drive, preventing data loss. Which of the following business continuity concepts does this explain?

- A. File backup
- B. Data restoration
- C. Fault tolerance
- D. Restoring access

Answer: C

Explanation:

Fault tolerance is the ability of a system to continue functioning even when one or more components fail. RAID (Redundant Array of Independent Disks) is a technology that uses multiple hard drives to store data in a way that improves performance and reliability. If one hard drive in the RAID array fails, the data can be recovered from another drive without losing any information. This is an example of fault tolerance.

References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 240.

NEW QUESTION 9



The broadcast signal from a recently installed wireless access point is not as strong as expected. Which of the following actions would BEST improve the signal strength?

- A. Update from 802.11b to 802.11g.
- B. Ensure sources of EMI are removed.
- C. Enable WPA2-Enterprise.
- D. Use WiFi Protected Setup.

Answer: B

Explanation:

The broadcast signal from a wireless access point can be affected by various factors, such as distance, obstacles, interference, and configuration. One of the possible causes of weak signal strength is electromagnetic interference (EMI), which is the disruption of wireless communication by devices or objects that emit electromagnetic waves, such as microwaves, cordless phones, power lines, or fluorescent lights. To improve the signal strength, the user should ensure that sources of EMI are removed or relocated

away from the wireless access point and the wireless devices78. References:= CompTIA IT Fundamentals

(ITF+) Study Guide, 2nd Edition, Chapter 4: Networking Concepts4; How to Improve Your Wireless Network Performance - HP® Tech Takes9

NEW QUESTION 10

A user is trying to set up a new wireless access point. Which of the following should the user do first?

- A. Change the SSID to a unique name.
- B. Change the default password.
- C. Enable WPA2 encryption.
- D. Enable the highest available wireless standard.

Answer: B

Explanation:

A wireless access point (WAP) is a device that allows wireless devices to connect to a wired network using Wi-Fi or Bluetooth. A WAP usually has a default configuration that is set by the manufacturer, which may include a default password, SSID (service set identifier), encryption type, and wireless standard. The default password is often weak or well-known, which makes the WAP vulnerable to unauthorized access or hacking.

Therefore, the first thing that a user should do when setting up a new WAP is to change the default password to a strong and unique one. This will help secure the WAP and prevent unwanted changes or attacks. Changing the SSID to a unique name, enabling WPA2 encryption, and enabling the highest available wireless standard are also important steps to improve the security and performance of the WAP, but they should be done after changing the default password.

NEW QUESTION 10

Which of the following data types should a database administrator use to store customer postal codes?

- A. Float
- B. String
- C. Boolean
- D. Integer

Answer: B

Explanation:

A postal code is a string of alphanumeric characters that identifies a specific location. A string data type is used to store text or character data, such as names, addresses, or postal codes. A float data type is used to store decimal numbers, such as prices or weights. A boolean data type is used to store logical values, such as true or false. An integer data type is used to store whole numbers, such as counts or quantities. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals1

NEW QUESTION 12

A user wants to use a laptop outside the house and still remain connected to the Internet. Which of the following would be the BEST choice to accomplish this task?

- A. Thunderbolt cable
- B. Bluetooth module
- C. Infrared port
- D. WLAN card

Answer: D

Explanation:

A WLAN card would be the best choice for a user who wants to use a laptop outside the house and still remain connected to the Internet. A WLAN card stands for wireless local area network card, which is a device that allows a laptop to connect to a wireless network using radio waves. A WLAN card can enable a laptop to access the Internet through public or private wireless hotspots, such as cafes, libraries, airports, or homes. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 170.

NEW QUESTION 16

Given the following pseudocode:



declare @count int set @count =1 for @count <10 begin set @count=@count+1 end select @count

Which of the following is the output of the code?

A. 1 B. 9

C. 10 D. 11

Answer: B

Explanation:

The code uses a for loop to iterate from 1 to 3, and assigns the value of i to the variable x. Then, it adds 3 to x and prints the result. The output of the code is: 3 (when i = 1, x = 1, x + 3 = 4) 6 (when i = 2, x = 2, x + 3 = 5) 9 (when i = 3, x = 3, x + 3 = 6) References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4:

Programming Concepts and Data Structures, page 153.

NEW QUESTION 19

A software developer develops a software program and writes a document with step-by-step instructions on how to use the software. The developer wants to ensure no other person or company will publish this document for public use. Which of the following should the developer use to BEST protect the document?

A. Patent

- B. Trademark
- C. Watermark
- D. Copyright

Answer: D

Explanation:

A document that explains how to use a software program is an example of a written work that expresses the original ideas of the developer. A copyright is a legal protection that grants the developer the exclusive right to publish, distribute, and control the use of the document. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 9: Intellectual Property1

NEW QUESTION 20

When transferring a file across the network, which of the following would be the FASTEST transfer rate?

A. 1001Kbps

B. 110Mbps

C. 1.22Gbps

D. 123Mbps

Answer: C

Explanation:

* 1.22Gbps would be the fastest transfer rate when transferring a file across the network among the given options. A transfer rate is a measure of how much data can be transmitted or received over a network in a given time. A transfer rate is usually expressed in bits per second (bps) or its multiples, such as Kbps (kilobits per second), Mbps (megabits per second), or Gbps (gigabits per second). A higher transfer rate means faster data transmission or reception. 1.22Gbps is equivalent to 1,220Mbps, which is higher than 110Mbps, 123Mbps, or 1001Kbps. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 164.

NEW QUESTION 25

A help desk technician encounters an issue and wants to find out if a colleague has encountered the same issue before. Which of the following should the technician do FIRST?

A. Check Knowledge Base.

B. Search local logs.

C. Research possible theories.

D. N

E. of users.

Answer: A

Explanation:

A Knowledge Base is a collection of information

that provides solutions to common problems or issues

encountered by IT professionals. A Knowledge Base can be accessed online or offline, and can be maintained by an organization or a vendor. A help desk technician shouldcheck the Knowledge Base first

before trying other methods, as it may contain the answer or a workaround for the issue3. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 6: Security2

NEW QUESTION 27



Which of the following scripting languages is most likely to be used in a Linux command-line environment?

A. JavaScript

B. PowerShell

C. C++

D. Bash

Answer: D

Explanation:

Bash is the most likely scripting language to be used in a Linux command-line environment. Bash stands for Bourne-Again Shell, which is a shell program that allows users to interact with the operating system by typing commands or running scripts. Bash is the default shell for most Linux distributions, and it supports features such as variables, loops, functions, and pipes. JavaScript is a scripting language that is mainly used for web development, especially for creating dynamic and interactive web pages. JavaScript can run in a browser or on a server, but it is not commonly used in a Linux command-line environment. PowerShell is a scripting language that is mainly used for Windows administration, especially for automating tasks and managing systems. PowerShell can run commands or scripts in a console or an integrated development environment (IDE), but it is not compatible with Linux by default. C++ is a programming language that is mainly used for software development, especially for creating applications that run close to the hardware or require high performance. C++ can run on various platforms. including Linux, but it is not a scripting language and it requires compilation before execution. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts

NEW QUESTION 32

Which of the following data types should a developer use when creating a variable to hold a postal code?

A. Integer

B. String

C. Float

D. Boolean

Answer: B

Explanation:

A string is the data type that a developer should use when creating a variable to hold a postal code. A string is a sequence of characters that can represent text, symbols, or numbers. A string can store any value that can be typed on a keyboard, such as "Hello", "123", or "90210". A string is enclosed by quotation marks to distinguish it from other types of data. A postal code is an example of a value that can be stored as a string. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 139.

NEW QUESTION 35

Which of the following tasks is typically performed during the identification phase of the troubleshooting methodology?

A. QUESTION NO: users.

B. Verify functionality.

C. Divide and conquer.

D. Implement the solution.

Answer: A

Explanation:

users is a task that is typically performed during the identification phase of the troubleshooting methodology. QUESTION NO: users involves gathering information from the users who are experiencing the problem or who have reported the problem. This can help identify the symptoms, scope, frequency, and impact of the problem. Verify functionality, divide and conquer, and implement the solution are tasks that are typically performed in other phases of the troubleshooting methodology. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 9: Troubleshooting Methodology, page 333.

NEW QUESTION 36

Which of the following is an example of multifactor authentication?

A. Password and passphrase

B. Fingerprint and retina scan

C. Hardware token and smartphone

D. Smart card and PIN

Answer: D

Explanation:

Smart card and PIN are the examples of multifactor authentication. Multifactor authentication is a security method that requires two or more factors or pieces of evidence to verify the identity of a user or device. The factors are usually classified into three categories: something you know (such as a password or PIN), something you have (such as a smart card or token), or something you are (such as a fingerprint or retina scan). Multifactor authentication provides stronger security than single-factor authentication because it reduces the risk of compromise if one factor is lost or stolen. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 207.

NEW QUESTION 40

A database administrator wants to populate a database with large amounts of data from an external source. Which of the following actions should be used to get the database populated?

A. EXPORT

B. IMPORT

C. SELECT

D. ALTER

Answer: B



Explanation:

IMPORT is the action that should be used to populate a database with large amounts of data from an external source. IMPORT is a command or function that allows a database to read and load data from an external file or source into a table or structure within the database. IMPORT can help a database administrator to transfer or migrate data from one database to another or from a different format to a database format. IMPORT can also help a database administrator to backup or restore data from a file or source. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 143.

NEW QUESTION 45

A company will begin to allow staff to work from home by means of formal request. Which of the following is the BEST way for the company to document this change?

- A. Written procedure
- B. Written policy
- C. Written email
- D. Written memo

Answer: B

Explanation:

A written policy is the best way for a company to document a change that allows staff to work from home by means of formal request. A policy is a statement or guideline that defines the rules, standards, or procedures for an organization's actions, decisions, or behaviors. A policy can help an organization to achieve its objectives, comply with regulations, ensure consistency and quality, and communicate expectations and responsibilities. A written policy is a policy that is documented in a formal document that can be distributed, reviewed, updated, and enforced by the organization. A written policy can help a company to document a change that affects its staff, such as working from home, by specifying the criteria, process, benefits, limitations, and consequences of the change. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 210.

NEW QUESTION 50

Which of the following is an example of information a company would ask employees to handle in a sensitive manner?

- A. Customer date of birth
- B. The first and last name of the Chief Executive Officer (CEO)
- C. Customer service number
- D. Company social media screen name

Answer: A

Explanation:

Customer date of birth is an example of information that a company would ask employees to handle in a sensitive manner. Sensitive information is any information that can identify or relate to a specific person, such as name, address, phone number, email, social security number, date of birth, etc. Sensitive information can also include financial, medical, legal, or personal records of a person. Sensitive information should be handled with care and confidentiality by employees to protect the privacy and security of the customers and the company. Employees should follow the company's policies and procedures for handling sensitive information, such as encrypting, locking, shredding, or disposing of it properly. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 205.

NEW QUESTION 52

A gaming console needs to allow for inbound connectivity on a home network to facilitate chat functions. Which of the following devices is a user MOST likely to configure to allow this?

- A. Cable modem
- B. Wireless router
- C. Access point
- D. Network switch

Answer: B

Explanation:

A wireless router is a device that connects wireless devices to a wired network and allows them to communicate with each other and access the Internet. A wireless router also has firewall features that can block or allow inbound or outbound traffic based on rules or settings. A user can configure the wireless router to allow inbound connectivity on a home network for a gaming console by opening or forwarding ports that are used for chat functions. A cable modem, an access point, and a network switch are not devices that can be configured to allow inbound connectivity on a home network for a gaming console. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 227.

NEW QUESTION 56

A user is getting an error message when trying to go to a website. A technician asks the user a few questions to find out more about the issue. The technician opens a browser locally and browses to the same site as the user. Which of the following troubleshooting steps is the technician using by browsing to the same site?

- A. Establish a plan of action.
- B. Gather information
- C. Duplicate the problem.
- D. Find the root cause.

Answer: C

Explanation:

The troubleshooting methodology is a systematic approach to solving problems that involves several steps, such as identifying the problem, establishing a theory of probable cause, testing the theory, establishing a plan of action, implementing the solution, verifying functionality, and documenting the findings. One of the steps in identifying the problem is to duplicate the problem, which means to reproduce the same error or issue that the user is experiencing. This can help the technician to verify the symptoms, narrow down the scope, and eliminate possible causes1011. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 7: Explain the Troubleshooting Methodology4; Troubleshooting Methodology | IT Support and Help Desk | CompTIA12



Which of the following would be the easiest component to upgrade on a laptop that is experiencing slow performance?

A. Motherboard

B. GPU

C. RAM

D. CPU

Answer: C

Explanation:

The easiest component to upgrade on a laptop that is experiencing slow performance is RAM. RAM stands for Random Access Memory, which is a type of volatile memory that stores data temporarily while the computer is running. RAM allows fast access and modification of data by the CPU, but it loses its contents when the power is turned off. Upgrading RAM can improve the performance of a laptop by increasing the amount of data that can be stored and processed at the same time, reducing the need for swapping or paging to the hard disk. Upgrading RAM on a laptop is usually easy, as it only requires opening a small panel on the back or side of the laptop and inserting or replacing the RAM modules into the slots. The motherboard is not the easiest component to upgrade on a laptop that is experiencing slow performance, but rather one of the most difficult components to upgrade. The motherboard is the main circuit board of a computer that connects and controls all the other components, such as the CPU, RAM, GPU, etc. Upgrading the motherboard can improve the performance of a laptop by supporting newer or faster components, but it is also very complex, costly, and risky. Upgrading the motherboard on a laptop may require replacing or reconfiguring many other components, as well as ensuring compatibility and stability with the operating system and drivers. The GPU is not the easiest component to upgrade on a laptop that is experiencing slow performance, but rather one of the most difficult components to upgrade. The GPU stands for Graphics Processing Unit, which is a specialized component of a computer that handles graphics and image processing. Upgrading the GPU can improve the performance of a laptop by increasing the speed and quality of rendering graphics, especially for gaming or video editing applications. However, upgrading the GPU on a laptop is usually very hard or impossible, as most laptops have integrated GPUs that are soldered to the motherboard or CPU and cannot be replaced or upgraded. The CPU is not the easiest component to upgrade on a laptop that is experiencing slow performance, but rather one of the most difficult components to upgrade. The CPU stands for Central Processing Unit, which is the main component of a computer that executes instructions and performs calculations. Upgrading the CPU can improve the performance of a laptop by increasing the speed and efficiency of processing data, especially for multitasking or complex applications. However, upgrading the CPU on a laptop is usually very hard or impossible, as most laptops have integrated CPUs that are soldered to the motherboard and cannot be replaced or upgraded. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals

NEW QUESTION 63

A programmer uses DML to modify:

A. files

B. permissions

C. data

D. backups

Answer: C

Explanation:

A programmer uses DML to modify data in a database. DML stands for Data Manipulation Language, which is a subset of SQL (Structured Query Language) that is used to manipulate or change data in a database. DML includes commands or statements such as INSERT, UPDATE, DELETE, or MERGE, which can be used to add, modify, remove, or combine data in a table or structure within a database. DML can help a programmer to perform various operations or functions on the data in a database. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 143.

NEW QUESTION 67

Which of the following is the closest to machine language?

A. Scripted languages

B. Compiled languages

C. Query languages

D. Assembly languages

Answer: D

Explanation:

Assembly languages are the closest to machine language among the given options. Machine language is the lowest-level programming language that consists of binary codes (0s and 1s) that can be directly understood by the processor. Machine language is specific to each type of processor and hardware platform. Assembly languages are low-level programming languages that use mnemonic codes (abbreviations or symbols) to represent machine language instructions. Assembly languages are easier to read and write than machine language, but they still require an assembler program to convert them into machine language. References: T Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 132-133.

NEW QUESTION 71

A technician needs to install a wireless router for a client that supports speeds up to 11Mbps and operates on the 2.4GHz band. Which of the following should the technician select?

A. 802.11a

B. 802.11b

C. 802.11g

D. 802.11n

Answer: B

Explanation:

* 802.11 b is the wireless standard that supports speeds up to 11Mbps and operates on the 2.4GHz band. 802.11b is one of the earliest versions of the IEEE 802.11 family of standards for wireless local area networks (WLANs). 802.11b uses direct-sequence spread spectrum (DSSS) modulation to transmit data over radio waves. 802.11b has a maximum theoretical data rate of 11Mbps and a typical range of up to 150 feet indoors or 300 feet outdoors. 802.11b operates on the same frequency band as some cordless phones, microwaves, and Bluetooth devices, which may cause interference or signal degradation. References: The



Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 171.

NEW QUESTION 74

Which of the following is the BEST option for a developer to use when storing the months of a year and when performance is a key consideration?

A. Array

B. Vector

C. List

D. String

Answer: A

Explanation:

An array is a type of data structure that stores multiple values of the same data type in a fixed-size sequence. An array would be the best option for a developer to use when storing the months of a year and when performance is a key consideration because an array allows fast access to any element by using its index number. A vector, a list, and a string are not types of data structures that offer fast access to elements or store multiple values of the same data type in a fixed-size sequence. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 147.

NEW QUESTION 77

A user browses to a website. Before the page opens, the user receives a message that the site is not secure. Which of the following caused this message?

- A. Certificate
- B. Proxv
- C. Script
- D. Malware

Answer: A

Explanation:

A website that is not secure means that the connection between the user's browser and the web server is not encrypted or authenticated. This can expose the user's data to interception, modification, or impersonation by attackers. One way to secure a website is to use HTTPS (Hypertext Transfer Protocol Secure), which is a protocol that encrypts and verifies the data exchanged between the browser and the server. HTTPS relies on certificates, which are digital documents that contain information about the identity and public key of the website owner. Certificates are issued by trusted authorities called certificate authorities (CAs), which verify the legitimacy of the website owner before issuing a certificate. When a user browses to a website that uses HTTPS, the browser checks the certificate to ensure that it is valid, signed by a CA, and matches the website's domain name. If any of these checks fail, the browser will display a warning message that the site is not secure, and advise the user not to proceed or enter any sensitive information.

NEW QUESTION 81

A desktop administrator just connected a printer to a workstation, but the workstation does not recognize the printer. Which of the following does the workstation MOST likely need for the printer to function?

- A. Permission
- B. Ink cartridge
- C. USB cable
- D. Driver

Answer: D

Explanation:

A driver is a software component that enables a device, such as a printer, to communicate with the operating system of a computer. Without a proper driver, the workstation will not be able to recognize or use the printer. Therefore, the workstation most likely needs a driver for the printer to function. The other options are not relevant to the problem of device recognition.

NEW QUESTION 86

A developer is creating specific step-by-step instructions/procedures and conditional statements that will be used by a computer program to solve problems. Which of the following is being developed?

- A. Algorithm
- B. Software
- C. Pseudocode
- D. Flowchart

Answer: A

Explanation:

An algorithm is a set of specific step-by-step instructions/procedures and conditional statements that will be used by a computer program to solve problems. An algorithm defines the logic and sequence of actions that a computer program must follow to perform a task or achieve a goal. An algorithm can be expressed in various ways, such as pseudocode, flowchart, or natural language. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 131.

NEW QUESTION 87

A technician is installing a new wireless network and wants to secure the wireless network to prevent unauthorized access. Which of the following protocols would be the MOST secure?

- A. WPA
- B. SSID
- C. WEP
- D. WPA2



Answer: D

Explanation:

WPA2 is the most secure protocol for securing a wireless network and preventing unauthorized access. WPA2 stands for Wi-Fi Protected Access 2, which is an encryption standard that provides strong security and privacy for wireless communications. WPA2 uses AES (Advanced Encryption Standard) to encrypt data and CCMP (Counter Mode with Cipher Block Chaining Message Authentication Code Protocol) to authenticate data. WPA2 also supports PSK (Pre-Shared Key) and EAP (Extensible Authentication Protocol) methods for verifying the identity of users or devices that connect to the wireless network. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 172.

NEW QUESTION 90

Which of the following storage types is MOST vulnerable to magnetic damage?

A. Flash

B. SSD

C. Optical

D. HDD

Answer: D

Explanation:

HDD (Hard Disk Drive) is a type of storage device that uses magnetic disks to store data. HDD is the most vulnerable to magnetic damage among the options given because magnetic fields can interfere with the read/write heads or the magnetic disks, causing data loss or corruption. Flash, SSD (Solid State Drive), and Optical are not types of storage devices that use magnetic disks to store data. Flash and SSD are types of storage devices that use flash memory chips to store data. Optical is a type of storage device that uses laser beams to read or write data on optical discs, such as CDs, DVDs, or Blu-ray discs. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 122.

NEW QUESTION 94

Which of the following types of memory can retain its content after a system reboot?

A. DDR

B. DIMM

C. RAM

D. ROM

Answer: D

Explanation:

The type of memory that can retain its content after a system reboot is ROM. ROM stands for Read-Only Memory, which is a type of non-volatile memory that stores data permanently even when the power is turned off. ROM can only be read by the CPU, but not written or modified. ROM contains essential data and instructions that are needed for the system to boot up and operate, such as the BIOS (Basic Input/Output System) or the firmware. DDR is not the type of memory that can retain its content after a system reboot, but rather a type of RAM. RAM stands for Random Access Memory, which is a type of volatile memory that stores data temporarily while the computer is running. RAM allows fast access and modification of data by the CPU, but it loses its contents when the power is turned off. DDR stands for Double Data Rate, which is a technology that allows RAM to transfer data twice as fast as normal RAM. DDR has different generations, such as DDR2, DDR3, or DDR4, which have different speeds and capacities. DIMM is not the type of memory that can retain its content after a system reboot, but rather a type of module or package that contains RAM chips. DIMM stands for Dual In-line Memory Module, which is a circuit board that has RAM chips on both sides and pins on both edges. DIMM can be inserted into slots on the motherboard to increase the amount of RAM available for the system. DIMM has different types and sizes, such as SDRAM, DDR, DDR2, DDR3, or DDR4 DIMMs. RAM is not the type of memory that can retain its content after a system reboot, but rather the type of memory that loses its content when the power is turned off. RAM stands for Random Access Memory, which is a type of volatile memory that stores data temporarily while the computer is running. RAM allows fast access and modification of data by the CPU, but it loses its contents when the power is turned off. RAM can be packaged into modules or packages, such as DIMMs or SO-DIMMs. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FCO-U61),

NEW QUESTION 95

Which of the following creates multifactor authentication when used with something you have?

A. Single sign-on

B. Hardware token

C. Geolocation

D. Password

Answer: D

Explanation:

A password is something you know, which can be used to create multifactor authentication when used with something you have, such as a hardware token or a smart card. Multifactor authentication is a security method that requires two or more factors of authentication to verify a user's identity. Single sign-on is a feature that allows a user to access multiple applications or systems with one set of credentials, but it does not necessarily involve multifactor authentication. Geolocation is a feature that determines a user's physical location based on GPS or other methods, but it does not necessarily involve multifactor authentication. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts

NEW QUESTION 96

A user logs into a laptop using a username and complex password. This is an example of:

A. biometrics

B. multifactor authentication

C. least privilege

D. single-factor authentication

Answer: D



Explanation:

Single-factor authentication is a method of verifying a user's identity by using only one piece of information, such as a username and password. Biometrics, multifactor authentication, and least privilege are not examples of single-factor authentication. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 304.

NEW QUESTION 99

Which of the following statements BEST describes binary?

- A. A notational system used to represent an "on" or "off" state
- B. A notational system used to represent media access control
- C. A notational system used to represent Internet protocol addressing
- D. A notational system used to represent a storage unit of measurement

Answer: A

Explanation:

Binary is a notational system used to represent an "on" or "off" state in digital devices or systems. Binary use only two symbols: 0 (off) and 1 (on). Binary is also known as base 2 notation, because each symbol represents a power of 2. Binary is the fundamental building block of all computer operations and data storage, as it can encode any type of information using sequences of bits (binary digits)1112. References

:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 2: Computing Basics3; What is Binary? - Definition from Techopedia

NEW QUESTION 101

A technician has been asked to assign an IP address to a new desktop computer. Which of the following is a valid IP address the technician should assign?

A. 127.0.0.1

B. 172.16.2.189

C. 192.168.257.1

D. 255.255.255.0

Answer: B

Explanation:

* 172.16.2.189 is a valid IP address that a technician can assign to a new desktop computer. An IP address is a unique identifier that is assigned to a device on a network that uses the Internet Protocol (IP). An IP address consists of four numbers separated by dots, each ranging from 0 to 255. For example, 192.168.1.1 is an IP address. An IP address can be classified into different classes based on the first number: Class A (1-126), Class B (128-191), Class C (192-223), Class D (224-239), and Class E (240-255). Each class has a different range of IP addresses that can be used for public or private networks. 172.16.2.189 is a Class B IP address that belongs to the private network range of 172.16.0.0 to 172.31.255.255. References: The Official CompTIA I Fundamentals (ITF+) Study Guide (FC0-U61), page 165.

NEW QUESTION 105

An IT manager wants to prevent end users from booting alternative operating systems on workstations. Which of the following security-related best practices would be used to accomplish this?

- A. Installing a host-based firewall
- B. Setting a BIOS password
- C. Patching the operating system
- D. Removing unnecessary software

Answer: B

Explanation:

Setting a BIOS password is a security-related best practice that would prevent end users from booting alternative operating systems on workstations. A BIOS password restricts access to the BIOS settings, which control the boot order and other hardware configurations of the computer. Installing a host-based firewall, patching the operating system, and removing unnecessary software are also security-related best practices, but they do not directly prevent booting alternative operating systems on workstations. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 110

A company's team members have both old and new laptops. Which of the following connectors should be available in the conference room to ensure everyone can use the conference room projectors? (Choose two.)

A. USB

B. HDMI

C. FireWire

D. VGA

E. Bluetooth

F. RJ45

Answer: BD

Explanation:

HDMI and VGA are the connectors that should be available in the conference room to ensure everyone can use the conference room projectors. HDMI and VGA are types of video connectors that are used to connect a video source, such as a laptop, to a video output, such as a projector, HDMI stands for High-Definition Multimedia Interface, which is a digital connector that can transmit high-quality video and audio signals over a single cable. VGA stands for Video Graphics Array, which is an analog connector that can transmit

standard-definition video signals over a 15-pin cable. HDMI and VGA are common video connectors that are found on old and new laptops, respectively. Having both HDMI and VGA connectors in the conference room can ensure compatibility and connectivity for different laptops and projectors. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 40.



A product advertising kiosk at a mall is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection. Which of the following application delivery methods is most likely being used for the kiosk?

A. Local network-hosted

B. Cloud-hosted

C. Hybrid-installed

D. Locally installed

Answer: B

Explanation:

The application delivery method that is most likely being used for the kiosk is cloud-hosted. Cloud-hosted is a type of application delivery method that involves running and accessing an application from a remote server or service over the internet. Cloud-hosted applications do not require installation or storage on the local device, but only a web browser or a client software to connect to the application. Cloud-hosted applications can provide benefits such as scalability, availability, security, and automatic updates. A product advertising kiosk at a mall that is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection is most likely using a cloud-hosted application delivery method, as it does not need any local resources or maintenance for the application. Local network-hosted is not the application delivery method that is most likely being used for the kiosk, but rather a type of application delivery method that involves running and accessing an application from a server or a device within the same local area network (LAN) as the client device. Local network-hosted applications require installation or storage on the server or device that hosts the application, but not on the client device. Local network-hosted applications can provide benefits such as speed, reliability, and control. A product advertising kiosk at a mall that is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection is not likely using a local network-hosted application delivery method, as it would need to be connected to a server or device within the same LAN as the kiosk. Hybrid-installed is not the application delivery method that is most likely being used for the kiosk, but rather a type of application delivery method that involves running and accessing an application from both a local device and a remote server or service over the internet. Hybrid-installed applications require partial installation or storage on the local device, as well as a web browser or a client software to connect to the remote part of the application. Hybrid-installed applications can provide benefits such as flexibility, functionality, and performance. A product advertising kiosk at a mall that is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection is not likely using a hybrid-installed application delivery method, as it would need some local resources for the application. Locally installed is not the application delivery method that is most likely being used for the kiosk, but rather a type of application delivery method that involves running and accessing an application from the local device only. Locally installed applications require full installation or storage on the local device, but do not need any web browser or client software to connect to the internet. Locally installed applications can provide benefits such as offline access, customization, and compatibility. A product advertising kiosk at a mall that is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection is not likely using a locally installed application delivery method, as it would need a hard drive or other storage device for the application. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4: Operating System Fundamentals1

NEW QUESTION 116

Which of the following storage types uses platters to store data?

A. Hard drive

B. Solid-state drive

C. Optical drive

D. Flash drive

Answer: A

Explanation:

A hard drive, also known as a hard disk drive (HDD), is a type of storage device that uses one or more rotating platters coated with magnetic material to store data. The platters are accessed by read/write heads that move across the surface of the platters as they spin. The data is stored as tiny magnetic regions on the platters, which can be changed or read by the heads. Hard drives are non-volatile, meaning they retain data even when power is off. Hard drives offer large storage capacity, low cost per gigabyte, and fast data transfer rates compared to other storage types. However, they are also prone to mechanical failures, noise, heat, and physical damage

NEW QUESTION 121

Ann, the president of a company, has requested assistance with choosing the appropriate Internet connectivity for her home. The home is in a remote location and has no connectivity to existing infrastructure. Which of the following Internet service types should MOST likely be used?

A. Fiber

B. DSL

C. Cable

D. Satellite

Answer: D

Explanation:

Satellite would be the best choice for Internet service for a home in a remote location that has no connectivity to existing infrastructure. Satellite Internet service uses satellites in orbit to provide wireless Internet access to users who have a satellite dish installed at their location. Satellite Internet service can cover areas where other types of Internet service are not available or reliable, such as rural or remote locations. Satellite Internet service can offer high-speed broadband connections, but it may also have drawbacks such as high latency, weather interference, and data caps. References: The Official CompTIA IT Fundamentals (ITF+) Study Gui (FC0-U61), page 168.

NEW QUESTION 122

Which of the following would a company consider an asset?

A. An external company used to destroy defective hard drives

B. Information residing on backup tapes

C. A company-sponsored technology conference

D. A certified third-party vendor that provides critical components

Answer: B



Explanation:

Information residing on backup tapes is an example of an asset that a company would consider valuable or important. An asset is any resource or item that has value or benefit for an organization, such as hardware, software, data, personnel, etc. An asset can be tangible or intangible, physical or digital, owned or leased, etc. Information residing on backup tapes is an asset because it contains data that may be critical or essential for the organization's operations, functions, or goals. Information residing on backup tapes may also contain sensitive or confidential data that needs to be protected from loss, damage, theft, or unauthorized access. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 204.

NEW QUESTION 124

Malware infections are being caused by websites. Which of the following settings will help prevent infections caused by Internet browsing?

- A. Turn on private browsing
- B. Delete browsing history on program close.
- C. Notify when downloads are complete.
- D. Configure prompting before downloading content.

Answer: D

Explanation:

Configuring prompting before downloading content will help prevent infections caused by Internet browsing. Prompting before downloading content is a browser setting that asks the user for confirmation or permission before downloading any file or program from a website. This setting can help prevent malware infections by allowing the user to check the source, type, and size of the file or program before downloading it. Prompting before downloading content can also help the user avoid unwanted or unnecessary downloads that may consume bandwidth or storage space. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 202.

NEW QUESTION 128

A user revisits a website and receives a message that the site may not be secure. The user is prompted to click a link to continue to the site. Which of the following would MOST likely identify the issue?

- A. Checking the proxy settings
- B. Checking that caching is enabled
- C. Checking browser add-ons
- D. Checking certificate validity

Answer: D

Explanation:

A certificate is a digital document that verifies the identity and authenticity of a website. A certificate is issued by a trusted authority called a certificate authority (CA). A certificate contains information such as the website's domain name, the CA's name, the expiration date, and a digital signature. If a website's certificate is expired, invalid, or untrusted, the browser will warn the user that the site may not be secure and prompt them to click a link to continue. The user can check the certificate validity by clicking on the padlock icon next to the address bar and viewing the certificate details. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6, Section 6.2, Page 260.

NEW QUESTION 129

A company has installed an application that only requires a workstation to function. Which of the following architecture types is this application using?

- A. One-tier
- B. Two-tier
- C. Three-tier
- D. n-tier

Answer: A

Explanation:

One-tier architecture is a type of architecture that uses only one layer or tier for an application or system. In one-tier architecture, the application logic, data, and user interface are all contained within the same layer or tier. One-tier architecture would be the best description of a technology that allows an application to run on a workstation without requiring any other components or layers. Two-tier, three-tier, and n-tier architectures are types of architectures that use more than one layer or tier for an application or system. In two-tier architecture, the application logic and data are separated into two layers or tiers. In three-tier architecture, the application logic, data, and user interface are separated into three layers or tiers. In n-tier architecture, the application logic, data, and user interface are separated into multiple layers or tiers. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 198.

NEW QUESTION 130

A programmer needs to store output in a place that can be accessed as quickly as possible. The data does not need to remain persistent. Which of the following is the BEST option for storing the data?

- A. Flat file
- B. Memory
- C. Relational database
- D. Solid state drive

Answer: B

Explanation:

Memory is the component of a computer system that stores data temporarily for fast access by the processor. Memory does not need to remain persistent, which means it does not retain data when the power is turned off.

A programmer can use memory to store output in a place that can be accessed as quickly as possible by the processor. Memory is also known as RAM (random access memory). References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 36.



A systems administrator uses a program that interacts directly with hardware to manage storage, network, and virtual machines. This program is an example of:

A. a storage area network.

B. an embedded OS.

C. network attached storage.

D. a Type 1 hypervisor.

Answer: D

Explanation:

A hypervisor is a software program that allows multiple operating systems (OS) to run on the same physical hardware as virtual machines (VMs). A hypervisor can be classified into two types: Type 1 and Type 2. A Type 1 hypervisor interacts directly with the hardware and does not need an underlying OS to function. A Type 1 hypervisor is also known as a bare-metal hypervisor or a native hypervisor. A Type 1 hypervisor can

manage storage, network, and VMs more efficiently and securely than a Type 2 hypervisor89. References := CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 3: IT Infrastructure3; What is Hypervisor? - Definition from Techopedia10

NEW QUESTION 136

A game developer is purchasing a computing device to develop a game and recognizes the game engine software will require a device with high-end specifications that can be upgraded. Which of the following devices would be BEST for the developer to buy?

A. Laptop

- B. Server
- C. Game console
- D. Workstation

Answer: D

Explanation:

A workstation would be the best device for a game developer to buy if the game engine software requires high-end specifications and upgradability. A workstation is a computing device that is designed for professional or specialized applications that require high performance, reliability, and scalability. A workstation typically has more powerful components than a standard desktop computer, such as faster processors, larger memory, better graphics cards, and more storage options. A workstation can also be customized and upgraded to meet specific needs or preferences. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 26.

NEW QUESTION 139

A large payment website was breached recently. A user is concerned that the breach will affect account security on other sites. Which of the following password best practices would mitigate this risk?

- A. Password history
- B. Password reuse
- C. Password expiration
- D. Password age

Answer: B

Explanation:

Password reuse is the practice of using the same password for multiple accounts or services. Password reuse would increase the risk of account security on other sites if a large payment website was breached recently. If the attackers obtained the user's password from the breached website, they could try to use it to access the user's accounts on other sites. Password reuse should be avoided and different passwords should be used for different accounts or services. Password history, password expiration, and password age are not password best practices that would mitigate this risk. Password history is the record of previous passwords that a user has used for an account or service. Password expiration is the time limit for using a password before it needs to be changed. Password age is the length of time that a password has been in use. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 308.

NEW QUESTION 144

Which of the following does a NoSQL database use to organize data?

- A. Primary keys
- B. Schemas
- C. Keys/values
- D. Tables

Answer: C

Explanation:

A NoSQL database is a type of database that does not use tables, rows, and columns to organize data. Instead, it uses keys and values to store data in a flexible and scalable way. A key is a unique identifier for a piece of data, and a value is the data itself. For example:

{ "name": "Alice", "age": 25, "city": "New York" }

In this example, name, age, and city are keys, and Alice, 25, and New York are values.

References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 196.

NEW QUESTION 149

Which of the following is a value that uniquely identifies a database record?

- A. Foreign key
- B. Public key
- C. Primary key
- D. Private key



Answer: C

Explanation:

A primary key is a value that uniquely identifies a database record or a row in a table. A primary key can be a single column or a combination of columns that have unique values for each record. A primary key ensures that each record can be distinguished from others and prevents duplicate data. For example, in a database that stores information about employees, the employee ID column can be used as a primary key for each employee record56. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals3; What is Primary Key? - Definition from Techopedia7

NEW QUESTION 150

A technician is troubleshooting an error message and tests the same program on a separate, identical machine. Which of the following troubleshooting methodology steps is this an example of?

- A. Duplicate the problem
- B. Gather information
- C. QUESTION NO: users
- D. Divide and conquer

Answer: A

Explanation:

Antivirus is a type of software that protects a computer or device from malicious software or malware, such as viruses, worms, trojans, spyware, ransomware, etc. Antivirus software requires the most frequent updating to remain effective because new malware threats are constantly emerging and evolving. Antivirus software needs to update its database of malware signatures or definitions, which are the patterns or characteristics that identify known malware. Antivirus software also needs to update its scanning engine or algorithm, which is the method or technique that detects and removes malware. Host firewall, web browser, and device drivers are not types of software that require the most frequent updating to remain effective. Host firewall is a type of software that monitors and controls the network traffic to or from a computer or device based on rules or policies. Web browser is a type of software that allows users to access and view web pages or web applications on the Internet. Device drivers are types of software that enable the communication and interaction between the operating system and the hardware devices. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 305.

NEW QUESTION 154

Which of the following is a wireless communication that requires devices to be within 6in of each other to transfer information?

A. Infrared

B. NFC

C. Bluetooth

D. WiFi

Answer: B

Explanation:

NFC stands for near field communication, which is a wireless communication technology that allows devices to exchange data or perform transactions when they are within a few centimeters of each other. NFC uses radio frequency identification (RFID) to create a short-range wireless connection. NFC is commonly used for contactless payments, smart cards, and digital wallets. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 174.

NEW QUESTION 158

Which of the following would be best to use to store a project task list that will be updated by multiple team members?

- A. Visual diagramming software
- B. Document sharing software
- C. Conferencing software
- D. Database software

Answer: B

Explanation:

Document sharing software is a type of software that allows multiple users to access, edit, and collaborate on the same document over the internet. Document sharing software can be useful for storing a project task list that will be updated by multiple team members, as it can provide features such as version control, real-time editing, commenting, chat, and access control. Document sharing software can also sync the document across different devices and platforms, making it easy to access and update the task list from anywhere. Some examples of document sharing software are Google Docs, Microsoft OneDrive, Dropbox Paper, and Zoho Docs

NEW QUESTION 163

The sales department needs to keep a customer list that contains names, contact information, and sales records. This list will need to be edited by multiple people at the same time. Which of the following applications should be used to create this list?

- A. Database software
- B. Word processing software
- C. Conferencing software
- D. Presentation software

Answer: A

Explanation:

Database software would be the best application to create a list that contains names, contact information, and sales records that can be edited by multiple people at the same time. Database software is an application that allows users to create, store, access, manipulate, and analyze data in an organized and structured way. Database software can store various types of data in tables, records, fields, or other structures. Database software can also support queries, reports, transactions, security, backup, and recovery functions. Database software can allow multiple users to edit the same data concurrently with proper permissions and controls.



References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 142.

NEW QUESTION 165

Which of the following is a compiled language?

A. Perl

B. JScript

C. Java

D. PowerShell

Answer: C

Explanation:

A compiled language is a programming language that requires its source code to be converted into machine code before it can be executed by the CPU. A compiled language uses a compiler, which is a program that translates the source code into an executable file that contains machine code. A compiled language typically runs faster and more efficiently than an interpreted language, which does not need to be compiled before execution. Java is an example of a compiled language that can run on different platforms using the Java Virtual Machine (JVM), which interprets the machine code for the specific hardware1112. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 4: Software Development3; What is Compiled Language? - Definition from Techopedia13

NEW QUESTION 169

Joe, a user, finds out his password for a social media site has been compromised. Joe tells a friend that his email and banking accounts are probably also compromised. Which of the following has Joe MOST likely performed?

A. Password reuse

B. Snooping

C. Social engineering

D. Phishing

Answer: A

Explanation:

Password reuse is the practice of using the same password for multiple accounts or services. Password reuse i a bad security habit that can lead to compromise of multiple accounts if one of them is breached by an attacker. Joe has most likely performed password reuse if he thinks his email and banking accounts are also compromised after his password for a social media site was compromised. Joe should use different passwords for different accounts and change them regularly to prevent password reuse. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 208.

NEW QUESTION 174

Which of the following filesystems would a Linux computer MOST likely use?

A. HFS

B. NTFS

C. FAT32

D. ext4

Answer: D

Explanation:

ext4 is a type of filesystem that is commonly used by Linux operating systems. A filesystem is a method of organizing and storing data on a storage device such as a hard disk drive or a solid state drive. A filesystem determines how data is divided into files and folders, how much space is allocated for each file or folder, how data is accessed and modified, and how data is protected from errors or corruption. ext4 is an improved version of ext3, which was the default filesystem for many Linux distributions until ext4 was introduced. ext4 offers better performance, reliability, and scalability than ext3. HFS, NTFS, and FAT32 are not filesystems that would be most likely used by a Linux computer. HFS is a filesystem that was used by older versions of Mac OS X operating systems. NTFS is a filesystem that is used by Windows operating systems. FAT32 is a filesystem that is used by older versions of Windows operating systems or removable storage devices such as USB flash drives. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 123.

NEW QUESTION 175

A computer technician is assigned a ticket to install a laptop for a new employee. Due to the arrangement of the workspace, the employee requests that the laptop be installed with the cover closed. Which of the following would be required to satisfy this request? (Choose two.)

A. Printer

B. Mouse

C. Webcam

D. External hard drive

E. Speakers

F. Display

Answer: BF

Explanation:

A mouse and a display would be required to satisfy the request of installing a laptop with the cover closed. A mouse is an input device that allows users to move a cursor and click on icons or buttons on the screen. A display is an output device that shows visual information on the screen. A mouse and a display would enable the user to interact with the laptop without opening the cover. A printer, a webcam, an external hard drive, and speakers are not devices that would be required to satisfy the request of installing a laptop with the cover closed. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 106.

NEW QUESTION 179

Which of the following is an advantage of a fiat file?



- A. Variety of data
- B. Scalability
- C. Portability
- D. Multiple concurrent users

Answer: C

Explanation:

The advantage of a flat file is portability. Portability is the ability of a file or a system to be easily transferred or used on different platforms or devices. A flat file is a type of file that stores data in plain text format with fixed fields and records. A flat file can be easily transferred or used on different platforms or devices, as it does not require any special software or hardware to read or write the data. A flat file can also be easily imported or exported by various applications or databases. A flat file does not have a variety of data, as it only stores data of one type or entity, such as customers, products, or orders. A flat file does not support relationships, queries, or calculations on the data. A flat file does not have scalability, as it has limitations on the size and complexity of the data that it can store. A flat file can become large, slow, or redundant as more data is added. A flat file does not support multiple concurrent users, as it does not have any locking or transaction mechanisms to prevent data conflicts or errors. A flat file can only be accessed by one user at a time, or by multiple users in read-only mode. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals

NEW QUESTION 182

A programmer is generating results by iterating rows that provide values needed for one calculation. Which of the following functions best accomplishes this task?

- A. Branching
- B. Pausing for input
- C. Sorting
- D. Looping

Answer: D

Explanation:

Looping is a function that allows a programmer to repeat a block of code for a certain number of times or until a condition is met. This is useful for iterating rows that provide values needed for one calculation, as it can perform the same operation on each row without writing redundant code. Branching is a function that allows a programmer to execute different blocks of code depending on a condition, such as an if-else statement.

Pausing for input is a function that allows a programmer to stop the execution of the code and wait for the user to enter some data, such as using the input() function in Python. Sorting is a function that allows a programmer to arrange a collection of data in a certain order, such as ascending or descending. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, page 139

NEW QUESTION 186

Which of the following network protocols will MOST likely be used when sending and receiving Internet email? (Select TWO.)

- A. SMTP
- B. POP3
- C. SNMP
- D. DHCP
- E. ICMP

F. SFTP

Answer: AB

Explanation:

SMTP and POP3 are the most likely network protocols that will be used when sending and receiving Internet email. SMTP stands for Simple Mail Transfer Protocol, which is a protocol that enables the transmission of email messages from a client to a server or from one server to another. SMTP is used to send outgoing email messages. POP3 stands for Post Office Protocol version 3, which is a protocol that enables the retrieval of email messages from a server to a client. POP3 is used to download incoming email messages. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 166.

NEW QUESTION 190

Which of the following terms best describes the outcome of a text message that is encrypted from its original form?

- A. Cipher
- B. Vector
- C. Plain
- D. Algorithm

Answer: A

Explanation:

The outcome of a text message that is encrypted from its original form is best described as a cipher. A cipher is a text message that has been transformed into an unreadable or unintelligible form by using an encryption algorithm and a key. Encryption is the process of converting plain text into cipher text to protect the confidentiality, integrity, and authenticity of the message. A vector is not a term used in encryption, but it may refer to a data structure that can store multiple values of the same data type in an ordered sequence. Plain is not a term used in encryption, but it may refer to the original or unencrypted form of a text message. An algorithm is not the outcome of encryption, but it is the method or procedure that is used to perform encryption or decryption. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 195

A company purchased a software program. The EULA states that the software can be installed on as many computers as the company wants, but only four users can be using the software at any point in time. Which of the following types of licenses is this an example of?

- A. Group license
- B. Concurrent license
- C. Subscription license



D. Open-source license

Answer: B

Explanation:

A concurrent license is a type of software license that allows a software program to be installed on as many computers as the company wants, but only a limited number of users can use the software at the same time. A concurrent license is based on the number of simultaneous users rather than the number of installations. A concurrent license can help a company save money and resources by sharing the software among multiple users who do not need to use the software all the time. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 211.

NEW QUESTION 200

An IP address is 32 bits long. If converted to bytes, it would be:

A. 4 bytes

B. 8 bytes

C. 16 bytes

D. 64 bytes

Answer: A

Explanation:

A byte is a unit of information that consists of eight bits. A bit is a binary digit that can have a value of either 0 or 1. An IP address is 32 bits long, which means it is composed of four groups of eight bits each. Therefore, if converted to bytes, an IP address would be four bytes long. For example, the IP address 192.168.1.1 in binary form is: 11000000.10101000.00000001.00000001

This IP address has four groups of eight bits each, which are equivalent to four bytes. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 221.

NEW QUESTION 203

For a disaster recovery exercise, a company wants to ensure customer data is recovered before operational data. This is an example of:

A. redundancy.

- B. replication.
- C. prioritization.
- D. fault tolerance.

Answer: C

Explanation:

Prioritization is the example of a disaster recovery exercise that involves ensuring customer data is recovered before operational data. Prioritization is the process of ranking or ordering the importance or urgency of tasks, goals, or resources. In disaster recovery, prioritization helps to determine which data, systems, or functions should be restored first based on their criticality or impact on the business continuity. For example, a company may prioritize customer data over operational data because customer data is more valuable or essential for the business operations. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 200.

NEW QUESTION 208

Which of the following security concerns is a threat to confidentiality?

- A. Replay attack
- B. Denial of service
- C. Service outage
- D. Dumpster diving

Answer: D

Explanation:

Dumpster diving is a technique used by attackers to obtain sensitive information from discarded documents, such as passwords, account numbers, or personal details. This information can be used to breach the confidentiality of an organization or an individual. Confidentiality is the principle of protecting information from unauthorized access or disclosure. To prevent dumpster diving, documents containing confidential information should be shredded or securely disposed of. References: The Official CompTIA IT Fundamenta (ITF+) Study Guide (FC0-U61), page 206.

NEW QUESTION 211

Which of the following BEST describes the purpose of a vector in programming?

- A. Storing a collection of data
- B. Repeating a similar operation
- C. Capturing user input
- D. Performing mathematical calculations

Answer: A

Explanation:

A vector is a type of data structure that can store a collection of data of the same data type in a dynamic sequence. A vector can grow or shrink in size as data is added or removed from it. A vector would be the best option for storing a collection of data in programming because it can accommodate different amounts of data and allow fast access to any element by using its index number. Repeating a similar operation, capturing user input, and performing mathematical calculations are not purposes of a vector in programming. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 148.



Which of the following would be BEST to keep the data on a laptop safe if the laptop is lost or stolen?

- A. Host-based firewall
- B. Strong administrator password
- C. Anti-malware software
- D. Full disk encryption

Answer: D

Explanation:

Full disk encryption would be the best way to keep the data on a laptop safe if the laptop is lost or stolen. Full disk encryption is a security technique that encrypts all the data on a hard drive, including the operating system, applications, and files. Full disk encryption prevents unauthorized access to the data without the correct password or key. Full disk encryption can protect the data on a laptop even if the laptop is physically removed or tampered with. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 203.

NEW QUESTION 218

A technician is troubleshooting a problem. The technician tests the theory and determines the theory is confirmed. Which of the following should be the technician's NEXT step?

- A. Implement the solution.
- B. Document lessons learned.
- C. Establish a plan of action.
- D. Verify full system functionality.

Answer: C

Explanation:

The technician's next step after testing the theory and determining the theory is confirmed is to establish a plan of action to resolve the problem and identify potential effects. This step involves preparing a specific method to implement the solution and considering how the solution might affect other components or users. The technician should also test the plan in an isolated environment before applying it to the actual system.

Implementing the solution is not the next step after testing the theory and determining the theory is confirmed, as it requires establishing a plan of action first. Documenting lessons learned is not the next step after testing the theory and determining the theory is confirmed, as it comes after verifying full system functionality and implementing preventive measures. Verifying full system functionality is not the next step after testing the theory and determining the theory is confirmed, as it comes after implementing the solution.

NEW QUESTION 223

A technician has successfully verified full system functionality after implementing the solution to a problem. Which of the following is the NEXT troubleshooting step the technician should do?

- A. Determine if anything has changed.
- B. Document lessons learned.
- C. Establish a theory of probable cause.
- D. Duplicate the problem, if possible.

Answer: B

Explanation:

Documenting lessons learned is the last step of the troubleshooting methodology, which is a systematic approach to solving problems. Documenting lessons learned involves recording the problem, the solution, and the process that was followed to resolve the problem. This can help prevent future occurrences of the same or similar problems, improve the troubleshooting skills of the technician, and provide a reference for other technicians who may encounter the same or similar problems. Documenting lessons learned would be the next troubleshooting step the technician should do after verifying full system functionality. Determining if anything has changed, establishing a theory of probable cause, and duplicating the problem are not steps that follow verifying full system functionality in the troubleshooting methodology. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 9: Troubleshooting and Operational Procedures, page 341.

NEW QUESTION 226

A user wants to ensure port 3389 is open for remote desktop on a PC. Which of the following describes where the user should verify the port is open?

- A. Antivirus
- B. Anti-malware
- C. Device Manager
- D. Host firewall

Answer: D

Explanation:

A host firewall is a software program that controls the incoming and outgoing network traffic on a computer. A host firewall can block or allow traffic based on rules that specify the source and destination addresses.

ports, protocols, and applications. A host firewall can also monitor and log network activity for security purposes. A user can verify if a port is open or closed by checking the host firewall settings and rules on their PC. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 5, Section 5.4, Page 230.

NEW QUESTION 228

SQL databases use primary and foreign keys to enable which of the following?

- A. Rows
- B. Fields
- C. Schemas



D. Relationships

Answer: D

Explanation:

SQL (Structured Query Language) databases use primary and foreign keys to enable relationships between tables. A SQL database is a type of relational database that organizes data into tables that are related to each other by common fields or attributes. A primary key is a field or attribute that uniquely identifies each record in a table. A foreign key is a field or attribute that refers to the primary key of another table. Primary and foreign keys enable relationships between tables by establishing links or associations between records that share common values. Rows, fields, and schemas are not concepts that are enabled by primary and foreign keys in SQL databases. A row is a horizontal arrangement of fields or attributes that store information about a specific record or entity in a table. A field is a vertical arrangement of fields or attributes that store the same type of information for different records in a table. A schema is a structure or design that defines how data is organized and stored in a database. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 194.

NEW QUESTION 229

Which of the following is an example of a compiled language?

A. C++

B. SQL

C. Python

D. XML

Answer: A

Explanation:

C++ is an example of a compiled language. A compiled language is a programming language that requires a compiler to translate the source code into executable code before running the program. A compiler is a program that converts the entire source code into machine code or intermediate code that can be executed by the processor or another program. A compiled language usually offers faster performance and lower memory usage than an interpreted language, but it also requires more time and effort to compile and debug the code. SQL is not a programming language, but a query language that is used to interact with databases. SQL statements are usually executed by a database management system (DBMS) that interprets and processes them. Python is an example of an interpreted language. An interpreted language is a programming language that does not require compilation before running the program. An interpreter is a program that reads and executes the source code line by line at runtime. An interpreted language usually offers more flexibility and portability than a compiled language, but it also requires more memory and CPU resources to run the program. XML is not a programming language either, but a markup language that is used to define and structure data in a human-readable and machine-readable format. XML documents are usually parsed by another program that uses them for data exchange or presentation. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, pages 134-135

NEW QUESTION 230

Which of the following types of encryptions would BEST protect a laptop computer in the event of theft?

A. Disk

B. Email

C. VPN

D. HTTPS

Answer: A

Explanation:

Disk encryption is a type of encryption that protects the entire contents of a hard drive or a removable storage device by using a secret key to scramble the data. Disk encryption would best protect a laptop computer in the event of theft because it would prevent unauthorized access to the data on the laptop. Email, VPN, and HTTPS are not types of encryption that protect the entire contents of a laptop computer. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 308.

NEW QUESTION 233

Which of the following is MOST likely used to represent international text data?

A. ASCII

B. Octal

C. Hexadecimal

D. Unicode

Answer: D

Explanation:

Unicode is the most likely encoding standard used to represent international text data. Unicode is a universal character set that can encode over a million characters from different languages, scripts, symbols, and emojis. Unicode supports multiple encoding forms, such as UTF-8, UTF-16, and UTF-32, that use different numbers of bytes to represent each character. Unicode enables consistent and interoperable representation and processing of text data across different platforms and applications. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 138.

NEW QUESTION 237

An end user's computer has been failing to open its word processing software. An IT technician successfully solves the problem. Which of the following best describes the technician's NEXT step?

- A. Restart the computer.
- B. Contact other users.
- C. Disconnect the peripherals.
- D. Document the findings.

Answer: D



Explanation:

The final step in the standard troubleshooting methodology is to document the findings

of the problem and the solution. This step involves recording the details of the problem, the steps taken to resolve it, the outcome of the solution, and any preventive measures implemented to avoid future occurrences. Documenting the findings can help to create a knowledge base for future reference, improve communication among IT professionals, and facilitate continuous improvement56. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 7: Explain the Troubleshooting Methodology3; Troubleshooting Methodology | IT Support and Help Desk | CompTIA7

NEW QUESTION 241

An employee is asked to generate a report on a student information system. The employee uses spreadsheet software and connects to a remote database to pull data for the report. Which of the following types of application architectures did the employee use?

- A. Standalone application
- B. Client-server application
- C. Web application
- D. Cloud application

Answer: B

Explanation:

A client-server application is an application that runs on a client device and communicates with a server device over a network. The client device requests data or services from the server device, and the server device responds to the requests. A spreadsheet software that connects to a remote database is an example of a client-server application. The spreadsheet software acts as the client, and the database acts as the server. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 128.

NEW QUESTION 244

A technician is called to replace a display for a workstation. Which of the following would MOST likely be used to connect the display to the workstation?

A. USB

B. NFC

C. DSL

D. DVI

Answer: D

Explanation:

DVI is the most likely connector that would be used to connect a display to a workstation. DVI stands for Digital Visual Interface, which is a standard that transmits digital video signals between devices. DVI can support high-resolution displays and multiple monitors. DVI connectors have three types: DVI-A (analog), DVI-D (digital), and DVI-I (integrated). DVI connectors have different numbers of pins depending on the type and mode. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 54.

NEW QUESTION 248

The process of determining the source of an issue during troubleshooting is called:

A. researching.

B. sourcing.

C. diagnosing.

D. triagin

Answer: C

The process of determining the source of an issue during troubleshooting is called diagnosing. Diagnosing is the third step in the troubleshooting process, after gathering information and determining if anything has changed. Diagnosing involves analyzing the symptoms and possible causes of the problem, testing hypotheses, and identifying the root cause of the problem. Researching is the process of finding relevant information or resources to help solve a problem during troubleshooting. Researching can be done before or after diagnosing, depending on the availability and reliability of the information or resources. Sourcing is not a term used in troubleshooting, but it may refer to the process of finding or obtaining materials or components for a product or service. Triaging is not a term used in troubleshooting, but it may refer to the process of prioritizing problems or tasks based on their urgency or importance. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology1

NEW QUESTION 250

A corporate network just implemented a 60-day password-warning banner. Which of the following is most likely going to happen in 60 days?

- A. Password reset
- B. Password expiration
- C. Password reuse
- D. Password Implementation

Answer: B

Explanation:

The most likely thing that will happen in 60 days after implementing a 60-day password-warning banner is password expiration. A password-warning banner is a message that appears on the screen when a user logs in to a system or network, informing them of how many days are left before their password expires. A password expiration policy is a security measure that requires users to change their passwords periodically, usually every 30 to 90 days. This policy helps to prevent unauthorized access or compromise of passwords by hackers or malicious insiders. Password reset is the process of changing or creating a new password for a user account when the user forgets their password or wants to change it for security reasons. Password reset can be done by the user themselves or by an administrator, depending on the system or network settings. Password reset does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless the user forgets their password or chooses to change it before it expires. Password reuse is the practice of using the same password for multiple user accounts or systems. Password reuse is not recommended as it increases the risk of compromise if one of the accounts or systems is breached by hackers or malicious insiders. Password reuse does not necessarily happen in 60 days after implementing a 60-day password-warning banner,



unless the user chooses to use their old password for their new password after it expires. Password implementation is not a term used in security, but it may refer to the process of creating or enforcing password policies for user accounts or systems. Password implementation does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless there are changes in the password policies that require users to comply with them. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 254

Which of the following actions is most likely associated with database use?

A. Creating diagrams

B. Querying

C. File sharing

D. Printing

Answer: B

Explanation:

The action that is most likely associated with database use is querying. Querying is the process of retrieving data from a database based on certain criteria or conditions. Querying allows users to access specific information from large amounts of data stored in tables. Querying can be done using SQL (Structured Query Language), which is a standard language for interacting with relational databases. SQL queries can perform various operations, such as selecting, inserting, updating, deleting, or joining data from tables. Creating diagrams is not an action that is associated with database use, but rather with software development or design. Creating diagrams can help visualize the structure, logic, or flow of a program or an algorithm. Examples of diagrams include flowcharts, UML diagrams, ER diagrams, etc. File sharing is not an action that is associated with database use, but rather with network use. File sharing is the process of allowing users to access or transfer files over a network. File sharing can be done using various protocols, such as FTP, SMB, NFS, etc. Printing is not an action that is associated with database use, but rather with output device use. Printing is the process of producing hard copies of documents, images, or other data on paper or other media using a printer. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals1

NEW QUESTION 258

A programming construct that is most beneficial tor organizing a program's data and behavior is:

A. an object.

B. a licensing agreement.

C. a query.

D. a constan

Answer: A

Explanation:

The programming construct that is most beneficial for organizing a program's data and behavior is an object. An object is a programming construct that encapsulates data and behavior into a single unit. An object can have attributes, which are variables that store data related to the object, and methods, which are functions that perform actions related to the object. An object can be created from a class, which is a blueprint or template that defines the attributes and methods of the object. An object can also inherit attributes and methods from another class, which is called a superclass or a parent class. An object can also override or modify attributes and methods inherited from another class, which is called a subclass or a child class. An object can also interact with other objects by sending or receiving messages. Object-oriented programming (OOP) is a paradigm that uses objects as the main building blocks of a program. OOP allows programmers to create modular, reusable, and maintainable code that models real-world entities and scenarios. A licensing agreement is not a programming construct, but rather a legal document that defines the terms and conditions for using a software product or service. A licensing agreement can specify the rights and responsibilities of the software vendor and the user, such as the scope of use, the duration of use, the payment terms, the warranty terms, etc. A query is not a programming construct, but rather a statement that retrieves data from a database based on certain criteria or conditions. A query can be written using SQL (Structured Query Language), which is a standard language for interacting with relational databases. A constant is not a programming construct that organizes data and behavior, but rather a variable that stores a single value of any data type that does not change during the execution of a program. A constant can be used to store values that are fixed or known in advance, such as PI = 3.14 or TAX_RATE = 0.15. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts1

NEW QUESTION 261

A help desk technician loads a browser-based ticketing system, but when navigating to the queue, the technician realizes that another employee's queue is being accessed. Which of the following explains the issue?

- A. The previous user's session Is cached.
- B. The proxy settings were misconfigured.
- C. The application is not compatible with the browser.
- D. The browser was opened in private mod

Answer: A

Explanation:

The issue that explains why the technician is accessing another employee's queue is that the previous user's session is cached. Caching is the process of storing data temporarily in a memory or disk for faster access or reuse. Caching can improve the performance and efficiency of a browser-based application, but it can also cause security or privacy issues if the data is not cleared or updated properly. The previous user's session may have been cached by the browser or the application, and the technician may have accessed the same URL or credentials without logging out or clearing the cache. The proxy settings were not misconfigured, as this would not affect the access to another employee's queue, but rather the access to the internet or the application server. The proxy settings are the configuration options that determine how a browser connects to a proxy server, which is an intermediary server that acts as a gateway between the browser and the internet or the application server. The proxy server can provide security, anonymity, or caching functions for the browser. The application is not incompatible with the browser, as this would not affect the access to another employee's queue, but rather the functionality or appearance of the application. The application compatibility is the degree to which an application works correctly and efficiently with a specific browser or operating system. The browser was not opened in private mode, as this would not affect the access to another employee's queue, but rather prevent the caching of data. The private mode is a feature that allows a browser to browse the internet without storing any browsing history, cookies, cache, or other data on the device. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 5: Infrastructure Concepts1

NEW QUESTION 265



A technician has received multiple reports about a media player, which is located in a waiting room, turning on and off at various times of the day. The technician replaces the power adapter and turns the player back on. Which of the following should the technician do next?

- A. Verify there is full system functionality.
- B. Document the findings/lessons learned.
- C. implement the solution.
- D. Research the knowledge bas

Answer: A

Explanation:

The next step that the technician should do after replacing the power adapter and turning on the media player is verifying there is full system functionality. Verifying there is full system functionality is the fourth step in the troubleshooting process, after diagnosing and resolving the problem. Verifying there is full system functionality involves testing and confirming that the problem has been fixed and that no new problems have been introduced by the solution. Documenting the findings/lessons learned is not the next step after replacing the power adapter and turning on the media player, but rather the last step in the troubleshooting process, after verifying there is full system functionality. Documenting the findings/lessons learned involves creating a record of the problem and its solution for future reference or training purposes. Implementing the solution is not the next step after replacing the power adapter and turning on the media player, but rather part of resolving the problem in the third step of troubleshooting process. Implementing solution involves applying the chosen solution to fix problem. Researching knowledge base is not next step after replacing power adapter and turning on media player, but rather an optional step that can be done before diagnosing problem in troubleshooting process. Researching knowledge base involves finding relevant information resources to help solve problem. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology

NEW QUESTION 269



THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual FC0-U61 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the FC0-U61 Product From:

https://www.2passeasy.com/dumps/FC0-U61/

Money Back Guarantee

FC0-U61 Practice Exam Features:

- * FC0-U61 Questions and Answers Updated Frequently
- * FC0-U61 Practice Questions Verified by Expert Senior Certified Staff
- * FC0-U61 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * FC0-U61 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year